# North Carolina Department of Health and Human Services Division of Mental Health, Developmental Disabilities and Substance Abuse Services

## **NC-TOPPS**


North Carolina Treatment Outcomes and Program Performance System

# Adolescent Mental Health Consumers (Ages 12-17) Smoky Mountain LME

# Initial Interviews

July 1, 2007 through June 30, 2008

This report includes consumers receiving only mental health services, and those receiving both mental health and substance abuse services.



Data Collected By: Center for Urban Affairs and Community Services (CUACS)

NC State University

Report Produced By: Institute for Community-Based Research

National Development & Research Institutes, Inc. (NDRI)

Prepared For: Quality Management Team

Community Policy Management Section

DMH/DD/SAS NC DHHS

July 2008







## **Adolescent (12-17) Mental Health Introduction to NC-TOPPS Report**

#### Introduction

This feedback report provides Local Management Entities, providers and the NC Division of Mental Health, Developmental Disabilities and Substance Abuse Services data gathered for adolescent mental health consumers through the North Carolina Treatment Outcomes and Program Performance System (NC-TOPPS). It provides information gathered through the online NC-TOPPS Initial Interview. Seven pages of charts, tables and text information are presented on mental health consumers' demographic characteristics, symptoms, behaviors and activities, service needs, supports and barriers, family and housing issues and outcome measures collected through an interview with the consumer at the beginning of their treatment. It should be noted that not every data element or response category on the NC-TOPPS Initial Interview is displayed in this report.

Please note that the charts and tables may not always match online queries that you may conduct. The data used in these reports will not necessarily reflect the same points in time. In addition, NDRI who produces these reports cleans the data and removes apparent duplicates prior to preparing the tables and charts.

Additional information about NC-TOPPS and printable version of the interviews are available at <a href="http://nctopps.ncdmh.net">http://nctopps.ncdmh.net</a>

#### **General Information on Interpreting Tables**

#### **Types of Statistics**

- A <u>count</u> shows the actual number (often designated by the letter "n") of clients.
- ► A <u>percentage</u> is the number of clients with a characteristic or behavior divided by all the clients in the group of interest multiplied by 100. Percentages will be designated with a % sign next to the number.
- ► An <u>average</u> is the sum of a set of numbers divided by the number of numbers in the set. When a number in a cell is an average, the word average will appear in the row descriptor.
- ▶ A <u>median</u> is the middle number in a set of numbers, arranged from lowest to highest. For example, the median for the following numbers: 9, 12, 12, 15, 17, 20, 22, 23, 25, 28, 31, 35, 62 is the bolded number, 22. Medians are important measures of central tendency, especially when a mean may be skewed by a very high or very low value. When a number in a cell is a median, the word median will appear in the row descriptor.

#### **Missing Data**

For many of the NC-TOPPS forms received, a particular item or question may have been left blank. In calculating the means, medians, and percentages in cells of questionnaire items, this missing data is excluded from the calculation. For example, program X may have submitted 50 assessments but in 2 of the assessments, gender was left blank. When the percent of males is calculated, the 25 males are shown as 52% (25/48\*100).

#### **Denominators**

The denominator for nearly all percentages is the number of cases shown at the bottom on the page minus item missing data. All exceptions to this general rule are noted with appropriate text in the graphic or table. This text will state which group is included or excluded from the denominator, such as "of those enrolled in K-12." In sections with "by groups" such as by age, the demoninator is the age group noted.

#### **Multiple Response**

"Multiple response" indicates a "mark all that apply" type question in which more than one response to a question is allowed. The total of responses may add to greater than 100%. Examples are health insurance or target population. This is in contrast to items such as gender where only a single response is allowed.

#### **Definition of terms**

The Appendix at the end of the report gives definitions of acronymns, abbreviations, and other terms used in this report.

#### **Special notes:**




# Initial Assessments Received July 1, 2007 through June 30, 2008 Adolescent (12-17) Mental Health Consumers Smoky Mountain

This table shows the number of consumers in this report by provider.

Provider	City	ProviderID	Number
Appalachian Counseling	Franklin	1075	1
Appalachian Counseling	Waynesville	2651	6
Appalachian			
Counseling/Appalachian			
Community and Clinical			
Services/D. Duncan Sumpter	Murphy	237	84
CNC/Access	Boone	2490	7
CNC/Access	Sylva	1726	1
Family Mental Health, P.A.	Franklin	1436	14
HomeCare Management			
Corporation	Boone	2307	4
·			
Jackson County Psychological	Sylva	240	37
Jackson County Psychological	Waynesville	1365	20
Lawson Support Services	Sparta	2310	8
Mentor Behavioral Health Care	Boone	2902	2
Meridian Behavioral Health			
Services	Bryson City	2455	5
Meridian Behavioral Health			
Services	Sylva	15	23
Murphy Counseling Services	Murphy	16	8
New River Behavioral			
HealthCare	Boone	2233	20
New River Behavioral			
HealthCare	Boone	2247	5
New River Behavioral			
HealthCare	Jefferson	2246	11
New River Behavioral			
HealthCare	Newland	2248	8
New River Behavioral	North		
HealthCare	Wilkesboro	2244	41
New River Behavioral			
HealthCare	Sparta	2243	26
Phoenix Supported Living, Inc.	Dillsboro	2286	2
The Children's Home, Inc			
Family Restoration	Franklin	251	2
Triumph	Wilkesboro	2569	7
Total			342




### Initial Interviews Received July 1, 2007 through June 30, 2008 Adolescent (12-17) Mental Health Consumer Characteristics Smoky Mountain




#### 1-2: Hispanic Origin

Of the Smoky Mountain consumers, 5% indicate that they are of Hispanic, Latino, or Spanish origin.


#### 1-3: Race/Ethnicity




#### 1-5: Age



#### 1-6: Gender and Age



#### 1-7: Gender and Race/Ethnicity






Initial Interviews Received July 1, 2007 through June 30, 2008 Adolescent (12-17) Mental Health Target and Special Populations and Programs **Smoky Mountain** 


> DWI 0%


Blind 0%



#### 2-2: Special Populations 100% 20% 40% 60% 80% 26% Juv. Justice **DSS** Custody SSI SSDI Crim. Justice Sex. Aggr. Youth Sex Offender Outpt. Commitment NonEnglish 0% Homeless 0% TBI 1% Deaf 0%

# 2-3: Special Programs






Multiple responses

Note: Refer to appendix for acronym definitions for all charts on this page.



### Initial Interviews Received July 1, 2007 through June 30, 2008 Adolescent (12-17) Mental Health Symptoms, Behaviors, and Activities Smoky Mountain


### 3-1: Severity of Mental Health Symptoms,



#### **3-2:** General Assessment of Functioning (GAF)

GAF scores were reported for 96% of Smoky Mountain consumers. The average score was 44.6 and the median score was 45.

#### 3-3: Consumer Ratings on Quality of Life



#### 3-4: History of Abuse


Physically Abused, past 3 months	25%
Sexually Abused, ever	21%
Sexually Abused, past 3 months	1%

#### 3-5: DSM-IV Diagnoses

Diagnostic Category	%
Attention deficit disorder	29%
Oppositional defiant disorder	32%
Major Depression	20%
Conduct disorder	13%
Disruptive behavior	9%
Bipolar disorder	13%
PTSD	13%
Anxiety disorder	13%
Drug Abuse	5%

<sup>\*</sup> Only most commonly diagnosed conditions shown.

## 3-6: How Often Problems Interfere with Work, School, or Other Daily Activities, Past 3 Months



#### 3-7: Lifetime Suicide Attempts

18% of Smoky Mountain consumers have attempted suicide at least once during their lifetime.

# **3-8:** Behavior Problems and Symptoms Expressed, Past 3 Months

	%
Suicidal thoughts	34%
Tried to hurt or cause self pain	25%
Risky sexual activity	3%
Hit/physically hurt another person	41%
Carried handgun or weapon	11%




Initial Interviews Received July 1, 2007 through June 30, 2008 Adolescent (12-17) Mental Health Service Needs, Supports, and Barriers Smoky Mountain


#### 4-1: Public or Private Health Care Provider

Among Smoky Mountain consumers, 91% report that they have a health care provider and 86% have seen their provider within the past year.


4-2: Service Needs Rated "Very Important"



#### **4-3: Support for Recovery**



# **4-4:** Consumer Participation in Positive Activities, Past 3 Months






Initial Interviews Received July 1, 2007 through June 30, 2008 Adolescent (12-17) Mental Health Consumer's Education and Employment Smoky Mountain

#### 5-1: Enrollment in Academic Programs


Enrolled in	
Any Academic program	93%
Academic Schools (K-12)	75%
Alternative Learning Program (ALP)	17%
Technical or Vocational School	0%
GED or Adult Literacy	1%

Note: Multiple response.


#### 5-2: K-12 School Attendance, by Age



#### 5-3: Average Grade Level of Students in K-12, by Age



# 5-4: Students in K-12 who Received Mostly A's, B's or C's at Most Recent Grading Period, by Age




# 5-5: School Suspension, Explusion, and Truancy, Past 3 Months

Of those enrolled in K-12, percent who missed school due to	
Expulsion	2%
Out-of-school suspension	17%
Truancy	13%

#### 5-6: Employment, Past 3 Months, by Age

The following chart shows the percent of 15 to 17 year olds, by age, who are working full or part-time. While any work, full or part-time, is shown, nearly all work in this age group is part-time. The denominator for these percentages does not exclude those not in the labor force.






### Initial Interviews Received July 1, 2007 through June 30, 2008 Adolescent (12-17) Mental Health Family, and Housing Issues Smoky Mountain

#### 6-2: Primary Caregiver

•	
Parent(s)	61%
Grandparent(s)	11%
Sibling(s)	1%
Foster parent(s)	11%
Spouse/partner	0%
Other relative	4%
Other	13%


#### 6-3: Where Lived



#### 6-4: Numbers living in special circumstances

Homeless sheltered	0
Homeless unsheltered	1
Foster home	7
Therapeutic foster home	29
Level III Group Home	20
Level IV Group Home	0
State residential treatment facility	3
SA residential treatment facility	0
Halfway house	0

#### 6-5: Times Moved Residences in the Past Year



#### 6-6: Have children

Of the Smoky Mountain consumers 2% have children of their own.

#### 6-7: Pregnancy and Prenatal Care

	Number
Currently pregnant	1
Referred to prenatal care*	1
Receiving prenatal care*	1

<sup>\*</sup> of those who are pregnant.




### Initial Interviews Received July 1, 2007 through June 30, 2008 Adolescent (12-17) Mental Health Outcomes Measures Smoky Mountain

#### 7-1: Lifetime Admission for Inpatient Mental Health

26% of Smoky Mountain consumers have had inpatient mental health admissions.

# 7-2: Health Care: Types of Service Utilized in Past 3 Months



#### 7-3 Arrest History

Any Arrests	
Ever	54%
Past Month	9%
Misdemeanor Arrests	
Ever	36%
Past Month	4%
Felony Arrests	
Ever	12%
Past Month	2%

Note: A person may have arrests for both misdemeanors and felonies.

#### 7-4: Trouble with the law in the Past Month

16% of Smoky Mountain consumers reported that they had been in trouble with the law in the past month.


#### 7-5: Justice System Involvement

Adult correctional supervision	1%
Juvenile correctional supervision	27%
Admission required by JJ/CJ/court	21%

#### 7-6: Lifetime Use of Substances

Ever used tobacco or alcohol	43%
Ever used other illicit drugs	25%

#### 7-7: Self-Report Substance Use, Past 12 Months



#### 7-8: Cigarette Smoking

Overall, 19% of Smoky Mountain consumers report that they smoked cigarettes in the past month and 1% smoked a pack a day or more.



# Appendix Adolescent (Age 12-17) Mental Health Acronyms and Abbreviations

Acronym or Term	Definition
ACT	Assertive Community Treatment
Af American	African American
AOD	Alcohol or other drugs
CDECI	Target population: Early childhood intervention
CDSN	Target population: Child with Developmental Disability
CMDEF	Target population: Child MH consumer who is deaf or hard of hearing
CSDWI	Target population: Child SA consumer who is receiving DWI Offender Treatment
CMMED	Target population: Child who is Seriously Emotionally Disturbed
CMPAT	Target population: Child MH consumer who is homeless (PATH program)
	Target population: Child who is Seriously Emotionally Disturbed with out of home
CMSED	placement
CSCJO	Target population: Child SA consumer who is a Criminal Justice Offender
CSIP	Target population: Child receiving indicated SA prevention services
CSMAJ	Target population: Child SA consumer in the MAJORS SA/JJ Program
CSSAD	Target population: Child with Substance Abuse Disorder
CSSP	Target population: Child receiving selected SA prevention services
CSWOM	Target population: Child SA consumer who is pregnant or has dependent children
Benzodiaz.	Benzopdiazepine(s)
Buprenorph.	Buprenorphine
Cauc.	Caucasian
Crim. Justice	Criminal Justice
CJ	Criminal Justice
CST	Community support team
Detox	detoxification
DSM	Diagnostic and Statistical Manual (Edition IV)
DSS	Division of Social Services
DWI	Driving while Impaired
GED	General Education Diploma (High School Equivalency)
H or I felon	Class H or I felon (controlled substance) who applied for food stamps
Her	Heroin
Inpt	Inpatient
JJ	Juvenile justice
Juv. Justice	Juvenile justice
Marij.	Marijuana
Med. Mgmt.	psychiatric medication management
Methamphet.	Methamphetamine(s)
Methamphet. Tx. Initiat.	Methamphetamine Treatment Initiative
MH	Mental Health
Outpt. Commitment	Outpatient Commitment
PSR	Psychosocial rehabilitation
PTSD	Post-traumatic Stress disorder
SA	Substance Abuse
SSI/SSDI	Supplemental Security Income or Social Secuity Disability Insurance
TASC	Treatment Accountability for Safer Communities
TBI	Traumatic brain injury